

Dünyanın 1 Numaralı Güvenlik Sistemleri Üreticisi



www.hikvision.com







ÜRETİCİNİN TAVSİYE ETTİĞİ FİYAT LİSTESİ (MSRP) 2023 - Q1













elektromaks
elektronik güvenlik sistemleri

NETWORK ÜRÜNLER



ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
2MP IP KAMERA			
DS-2CD1023G0-IUF (Dahili mikrofon) 2MP		2MP Mini IR Bullet Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect , TF card slot, *power supply no included	€ 120
DS-2CD1323G0-IUF (Dahili mikrofon) 2MP		2MP Mini IR Dome Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect , TF card slot, *power supply no included	€ 120
DS-2CD1123G0-IUF 2MP		2MP Mini IR Dome Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect , TF card slot, *power supply no included	€ 125
DS-2CD2021G1-I 2MP		2MP Mini IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive CMOS, ICR, Color: 0.028 Lux @(F2.0; AGC ON), 0lux with IR, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264/MJPEG, DC12V & PoE, 3D DNR, DWDR, BLC, IR range: up to 30m, HIK-Connect cloud service	€ 158
DS-2CD2121G0-I 2MP		2MP Mini IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive CMOS, ICR, Color: 0.028 Lux @(F2.0; AGC ON), 0lux with IR, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264/MJPEG, DC12V & PoE, 3D DNR, DWDR, BLC, IR range: up to 30m, Support on-board storage (SD card not included), HIK-Connect cloud service. 3-Axis Adjustment.	€ 158
DS-2CD1027G0-LUF (Dahili mikrofon) 2MP 		2MP Mini Bullet Kamera (H.265+) ColorVu DWDR 1/2.8" Progressive CMOS, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, up to 30m warm light, DC12V & PoE, Full Metal, Support mobile monitoring via Hik-Connect *power supply no included. Built-in Microphone.	€ 144

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-2CD1327G0-LUF (Dahili mikrofon) 2MP ColorVu		2MP Mini Dome Kamera (H.265+) ColorVu DWDR 1/2.8" Progressive CMOS, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, up to 30m warm light, DC12V & PoE, IP67, Support mobile monitoring via Hik-Connect *power supply no included. Built-in Microphone.	€ 144
DS-2CD2421G0-IW 2MP Wi-Fi		2MP Cube Kamera (H.265+) 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.028 Lux @ (F2.0, AGC ON), 0 lux with IR; 25Fps/30fps(1920x1080); VCA functions; 2 streams; DWDR; 3D DNR; BLC; ICR; EXIR, up to 10m; support on-board storage up to 128GB(SD card slot), Hik-Connect cloud service, Build-in microphone and speaker ; Built-in 2.4G Wi-Fi, 802.11b/g/n; 12VDC&PoE power supply.	€ 175
DS-2CD2423G0-IW 2MP Wi-Fi		2MP Cube Kamera (H.265+) 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.028 Lux @ (F2.0, AGC ON), 0 lux with IR; 25Fps/30fps(1920x1080); VCA functions; 3 streams; WDR; 3D DNR; BLC; BLC/HLC; ICR; EXIR, up to 10m; support on-board storage up to 128GB(SD card slot), Hik-Connect cloud service, Build-in microphone and speaker ; Built-in 2.4G Wi-Fi, 802.11b/g/n; 12VDC&PoE power supply.	€ 217
DS-2CD2026G2-I (Powered by Darkfighter) 2MP AcuSense		2MP Mini IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.007 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service *-U model: Built-in microphone	€ 274
DS-2CD2T26G2-4I (Powered by Darkfighter) 2MP AcuSense		2MP IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.007 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service *-2I/4I model: up to 50m(2Leds)/80m(4Leds) IR distance	€ 328
DS-2CD1623G0-IZS 2MP		2MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, DWDR, IR range: up to 30m, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -Z: motorized vari-focal lens - IP67	€ 239

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-2CD1723G0-IZS 2MP		2MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, DWDR, IR range: up to 30m, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -Z: motorized vari-focal lens - IP67-IK10	€ 239
DS-2CD2623G2-IZS 2MP 		2MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 Lux @ (F1.6, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 60m; Audio/Alarm IO; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	€ 440
DS-2CD2723G2-IZS 2MP 		2MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 Lux @ (F1.6, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; Audio/Alarm IO; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	€ 438
DS-2CD2626G2-IZS (Powered by Darkfighter) 2MP 		2MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.007 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm I/O	€ 548
DS-2CD2726G2-IZS (Powered by Darkfighter) 2MP 		2MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.007 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm I/O	€ 548
4MP IP KAMERA			
DS-2CD1043G0-IUF (Dahili mikrofon) 4MP		4MP Mini IR Bullet Kamera (H.265+) 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included TF card slot,	€ 150









ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-2CD1343G0-IUF (Dahili mikrofon) 4MP		4MP Mini IR Dome Kamera (H.265+) 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included TF card slot,	€ 150
DS-2CD1143G0-IUF (Dahili mikrofon) 4MP		4MP Mini IR Bullet Kamera (H.265+) 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included TF card slot,	€ 157
DS-2CD2043G2-I 4MP		4MP Mini IR Bullet Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 Lux @ (F1.6, AGC ON), 0 lux with IR; 25fps/30fps(2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	€ 274
DS-2CD2143G2-IU 4MP		4MP Mini IR Dome Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 Lux @ (F1.6, AGC ON), 0 lux with IR; 25fps/30fps(2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 30m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service Built-in microphone	€ 283
DS-2CD1347G0-LUF (Dahili mikrofon) 4MP 		4MP Mini Dome Kamera (H.265+) ColorVu DWDR 1/3" Progressive CMOS, 2560x1440:20fps, H.265+/H.265/H.264+&H.264, WDR, 3D DNR, BLC, up to 30m warm light, DC12V & PoE, Support mobile monitoring via Hik- Connect *-UF: Built-in Microphone and MicroSD Card Slot (up to 256GB)	€ 180
DS-2CD1047G0-LUF (Dahili mikrofon) 4MP 		4MP Mini Bullet Kamera (H.265+)ColorVu DWDR 1/2.7" Progressive CMOS, ICR, 2560x1440:20fps, H.265+/H.265/H.264+&H.264, 3D DNR, BLC, up to 30m warm light, F1.0, DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included	€ 180
DS-2CD2047G2-L 4MP 		4MP Mini IR Bullet Kamera(H.265+)ColorVu 130dB WDR 1/1.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.0005 lux @(F1.0, AGC ON), 0 lux with LED on; 25fps/30fps(2688×1520, 2304×1296, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; 3000K Warm LED; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; -U:Built-in micphone	€ 361





ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-2CD2347G2-L 4MP ColorVu		4MP Mini IR Bullet Kamera(H.265+)ColorVu 130dB WDR 1/1.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.0014 lux (F1.0, AGC ON), 0 lux with LED on; 25fps/24fps(2592×1520,2304×1296,1920×1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; 3000K Warm LED; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	€ 361
DS-2CD2T46G2-4I 4MP AcuSense		4MP Bullet Kamera (H.265+) Acusense 120dB WDR 1/3" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.003 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(2688×1520,1920×1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; 80m(4Leds) IR distance	€ 351
DS-2CD2T47G2-L 4MP ColorVu		4MP Bullet Kamera (H.265+) ColorVu 130dB WDR 1/1.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.00014 lux (F1.0, AGC ON), 0 lux with LED on; 25fps/30fps(2688×1520,2560×1440,1920×1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; 3000K Warm LED; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	€ 461
DS-2CD1643G0-IZS/UK 4MP		4MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -Z: motorized vari-focal lens	€ 256
DS-2CD1743G0-IZS/UK 4MP		4MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -Z: motorized vari-focal lens	€ 256
DS-2CD2743G2-IZS 4MP AcuSense		4MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 Lux @ (F1.6, AGC ON), 0 lux with IR; 25fps/30fps(2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; Audio/Alarm IO; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	€ 487
















ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-2CD2643G2-IZS 4MP 		4MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 Lux @ (F1.6, AGC ON), 0 lux with IR; 25fps/30fps(2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 60m; Audio/Alarm IO; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	€ 487
DS-2CD2646G2-IZS (Powered by Darkfighter) 4MP 		4MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS((C) model); H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.003 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(2688×1520,1920×1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm I/O *non-(C) model:1/2.7" Progressive Scan CMOS	€ 570
DS-2CD2746G2-IZS (Powered by Darkfighter) 4MP 		4MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS((C) model); H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.003 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(2688×1520,1920×1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm I/O *non-(C) model:1/2.7" Progressive Scan CMOS	€ 597
5MP IP KAMERA			
 DS-2CD1053G0-IUF 5MP		5MP Mini IR Bullet Kamera (H.265+) 120dB WDR 1/2.7" Progressive CMOS, ICR, 2560*1920:15fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, WDR, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included *-U: built-in microphone	€ 184
 DS-2CD1353G0-IUF 5MP		5MP Mini IR Dome Kamera (H.265+) 120dB WDR 1/2.7" Progressive CMOS, ICR, 2560*1920:15fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, WDR, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included; Built-in microphone	€ 184











ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
6MP IP KAMERA			
DS-2CD2063G2-I  6MP	6MP Mini IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3200x1800), 25fps/30fps (2688x1520, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; *-U: built-in microphone	€ 296	
DS-2CD2163G2-IU  6MP	6MP Mini IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3200x1800), 25fps/30fps (2688x1520, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 340m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Built-in microphone	€ 311	
DS-2CD2T63G2-2I  6MP 	6MP IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3200x1800), 25fps/30fps (2688x1520, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; *-2I/4I model: up to 60m(2Leds)/80m(4Leds) IR distance	€ 333	
DS-2CD2663G2-IZS  6MP 	6MP IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3200x1800), 25fps/30fps (2688x1520, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 60m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm IO	€ 578	
DS-2CD2763G2-IZS  6MP 	6MP IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3200x1800), 25fps/30fps (2688x1520, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm IO	€ 578	
DS-2CD2666G2-IZS  6MP	6MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/2.4" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.003 lux@(F1.6, AGC ON), 0 lux with IR; 25fps/30fps (3200x1800, 2688x1520, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 60m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Built-in Audio/Alarm I/O	€ 625	











ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
8MP IP KAMERA			
DS-2CD2083G2-IU  		8MP IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3200×1800, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; *-U: built-in microphone	€ 365
DS-2CD2183G2-IU  		8MP IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3200×1800, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 30m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Built-in microphone	€ 365
DS-2CD2T83G2-2I  		8MP IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3200×1800, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK- Connect cloud service; *-2I/4I model: up to 60m(2Leds)/80m(4Leds) IR distance	€ 402
DS-2CD2T86G2-2I (Powered by Darkfighter)  		8MP IR Bullet Kamera (H.265+) 120dB WDR 1/1.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.014 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3072×1728, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK- Connect cloud service *-2I/4I model: up to 50m(2Leds)/80m(4Leds) IR distance	€ 479
DS-2CD2683G2-IZS  		8MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3200×1800, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 60m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm IO	€ 646







ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-2CD2783G2-IZS 8MP 		8MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3200×1800, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm IO	€ 646
DS-2CD2686G2-IZS (Powered by Darkfighter) 8MP 		8MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/2" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.011 Lux @ (F1.4, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3072×1728, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 50m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Built-in Audio/Alarm I/O, HIK-Connect cloud service	€ 718
DS-2CD2786G2-IZS (Powered by Darkfighter) 8MP 		8MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/1.8" Progressive Scan CMOS; 265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.011 Lux @ (F1.4, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3072×1728, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 30m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Built-in Audio/Alarm I/O, HIK-Connect cloud service	€ 752
Balıkgözü KAMERA			
DS-2CD2955FWD-I 5MP		5MP Balıkgözü KAMERA 1/2.9" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.016 lux@(F2.2, AGC ON), 0 lux with IR; 20fps(2944×1656), 25fps/30fps(2560×1440, 2048×1536, 1920×1080); F2.2, field of view: 180°(H)x180°(V); 120dB WDR; 2 streams; 3D DNR; BLC; ICR; EXIR, up to 10m(optional); DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	€ 485
DS-2CD2935FWD-I 3MP		3MP Balıkgözü KAMERA 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.016 lux @(F2.2, AGC ON), 0 lux with IR; 25fps/30fps(2048×1536, 1920×1080); F2.2, field of view: 180°(H)x180°(V); 120dB WDR; 2 streams; 3D DNR; BLC; ICR; up to 10m IR(optional); DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	€ 377









ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
HeatPro			
DS-2TD1217-3/PA 4MP HeatPro		<p>160 × 120 resolution Thermal, 4MP resolution optical Dome Kamera</p> <p>High sensitivity thermal module with 160 × 120 resolution 3mm (50° x 37.2°) ; NETD is less than 40 mk (@25° C, F#=1.1) Leading thermal image processing technology: Adaptive AGC, DDE, 3D DNR</p> <p>Powerful behavior analysis functions, based on deep learning algorithm: Line crossing, intrusion, region entrance & exit</p> <p>Reliable temperature-anomaly alarm ; Advanced fire detection algorithm</p> <p>High quality optical module with 4 MP resolution</p> <p>Strobe light and audio alarm</p>	Sorunuz
DS-2TD2617-3/PA 4MP HeatPro		<p>160 × 120 resolution Thermal, 4MP resolution optical Bullet Kamera</p> <p>High sensitivity thermal module with 160 × 120 resolution 3.1mm (50° x 37.2°); NETD is less than 40 mk (@25° C, F#=1.1) Leading thermal image processing technology: Adaptive AGC, DDE, 3D DNR</p> <p>Powerful behavior analysis functions, based on deep learning algorithm: Line crossing, intrusion, region entrance & exit</p> <p>Reliable temperature-anomaly alarm ; Advanced fire detection algorithm</p> <p>High quality optical module with 4 MP resolution</p> <p>Strobe light and audio alarm</p>	Sorunuz
DS-2TD2617-6/PA 4MP HeatPro		<p>160 × 120 resolution Thermal, 4MP resolution optical Bullet Kamera</p> <p>High sensitivity thermal module with 160 × 120 resolution 6.2mm (25° x 18.7°); NETD is less than 40 mk (@25° C, F#=1.1)</p> <p>Leading thermal image processing technology: Adaptive AGC, DDE, 3D DNR</p> <p>Powerful behavior analysis functions, based on deep learning algorithm: Line crossing, intrusion, region entrance & exit</p> <p>Reliable temperature-anomaly alarm ; Advanced fire detection algorithm</p> <p>High quality optical module with 4 MP resolution</p> <p>Strobe light and audio alarm</p>	Sorunuz
IP PTZ KAMERA			
DS-2DE4215IW-DE (Ayak dahil) 2MP AcuSense		<p>2MP Network Dış Ortam IR PTZ Kamera (H.265+, 15X, 100m IR, deep learning)</p> <p>1/2.8" progressive scan CMOS High quality imaging with 2 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. 15× optical zoom and 16× digital zoom provide close up views over expansive areas. WDR, HLC, BLC, 3D DNR, defog, EIS, regional exposure, regional focus</p> <p>Expansive night view with up to 100 m IR distance</p> <p>Support H.265+/H.265 video compression</p>	€ 713









ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-2DE4225IW-DE (Ayak dahil)  		2MP Network Dış Ortam IR PTZ Kamera (H.265+, 25X, 100m IR, deep learning) 1/2.8" progressive scan CMOS. High quality imaging with 2 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. 25× optical zoom and 16× digital zoom provide close up views over expansive area. WDR, HLC, BLC, 3D DNR, defog, EIS, regional exposure, regional focus Expansive night view with up to 100 m IR distance Support H.265+/H.265 video compression	€ 858
DS-2DE4425IW-DE (Ayak dahil)  		4MP Network Dış Ortam IR PTZ Kamera (H.265+, 25X, 100m IR) 1/2.8" progressive scan CMOS. High quality imaging with 4 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. 25× optical zoom and 16× digital zoom provide close up views over expansive areas WDR, HLC, BLC, 3D DNR, defog, EIS, regional exposure, regional focus Expansive night view with up to 100 m IR distance Support H.265+/H.265 video compression	€ 887
DS-2DE7A232IW-AEB  		4MP Network Dış Ortam IR PTZ Kamera (32X, 200m IR, IP66, deep learning) 1/2.8" progressive scan CMOS. High quality imaging with 2 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. Audio visual alarm: The white flashing light and audible warning can be triggered by certain events 32× optical zoom and 16× digital zoom provide close up views over expansive areas. Expansive night view with up to 200 m IR distance Focuses on human and vehicle targets classification based on deep learning. Face capture: Up to 5 faces captured at the same time	€ 1,750
DS-2DE7A432IW-AEB  		4MP Network Dış Ortam IR PTZ Kamera (32X, 200m IR, IP66, deep learning) 1/2.8" progressive scan CMOS. High quality imaging with 4 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. Audio visual alarm: The white flashing light and audible warning can be triggered by certain events 32× optical zoom and 16× digital zoom provide close up views over expansive areas. Expansive night view with up to 200 m IR distance Focuses on human and vehicle targets classification based on deep learning. Face capture: Up to 5 faces captured at the same time	€ 1,859
DS-2SE7C432MW-AEB  		4MP Network Dış Ortam IR PTZ Kamera (32X, 200m IR, IP66, deep learning) Captures a large area and great details at the same time High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Secures an expansive area with 32× optical zoom and 16× digital zoom Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus, rapid focus Expansive night view with up to 200 m IR distance Supports 24 VAC & Hi-PoE Active strobe light and audio alarm to warn intruders off	Sorunuz













ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
ANALOG PTZ KAMERA			
DS-2AE4225TI-D 2MP		4-inch 2 MP 25X Powered by DarkFighter Analog Speed Dome 1/2.8" CMOS, 1920x1080:30fps, TVI & CVBS output, 3D DNR, True WDR, Ultra-low light Powerde By DarkFighter Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Optical Zoom:25x, Digital Zoom:16X, Pan Speed: 0.1° ~ 80°/s, Tilt Speed: 0.1° ~ 80°/s, Up the Coax,100mIR,DC12V	€ 979
NETWORK VIDEO KAYIT CİHAZLARI			
4 KANAL NVR			
DS-7104NI-Q1		4 Kanal NVR (1 SATA, H.265+) 40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interface, mini 1U case(Plastic)	€ 145
DS-7104NI-Q1/4P		4 Kanal NVR (1 SATA, H.265+, POE) 40Mbps Bit Rate Input Max (up to 4-ch IP video) 1 SATA interface, 4 independent PoE network interfaces, mini 1U case(Plastic)	€ 261
DS-7104NI-Q1/M		4 Kanal NVR (1 SATA, H.265+) 40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interface, mini 1U case(Metal)	€ 160
DS-7104NI-Q1/4P/M		4 Kanal NVR (1 SATA, H.265+, POE) 40Mbps Bit Rate Input Max (up to 4-ch IP video) 1 SATA interface, 4 independent PoE network interfaces, mini 1U case(Metal)	€ 276
DS-7604NI-K1		4 Kanal NVR (1 SATA, H.265+) 40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interface, standalone 1U case	€ 245
DS-7604NI-K1/4P		4 Kanal NVR (1 SATA, H.265+, POE) 40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interfaces, 4 independent PoE network interfaces, standalone 1U case	€ 363
8 KANAL NVR			
DS-7108NI-Q1		8 Kanal NVR (1 SATA, H.265+) 60Mbps Bit Rate Input Max (up to 8-ch IP video), 1 SATA interface, mini 1U case(Plastic)	€ 177
DS-7108NI-Q1/M		8 Kanal NVR (1 SATA, H.265+) 60Mbps Bit Rate Input Max (up to 8-ch IP video), 1 SATA interface, mini 1U case(Metal)	€ 193
DS-7108NI-Q1/8P/M		8 Kanal NVR (1 SATA, H.265+, POE) 60Mbps Bit Rate Input Max (up to 8-ch IP video) 1 SATA interface, 8 independent PoE network interfaces, mini 1U case(Metal)	€ 370













ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-7608NI-K2/8P		8 Kanal NVR (2 SATA, H.265+, POE) 80Mbps Bit Rate Input Max (up to 8-ch IP video), 2 SATA interfaces, 8 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1	€ 664
YENİ DS-7608NI-M2 8K		8 Kanal NVR - 8K (2 SATA, H.265+) Güvenlik sektöründeki ilk 8K NVR Up to 8-ch IP camera inputs Up to 8-ch@8 MP decoding capacity Up to 128 Mbps incoming bandwidth 2 SATA Interfaces, Alarm I/O: 4/1, 380 1U case 8x8MP decoding capability,HDMI up to 8K,	Sorunuz
YENİ DS-7608NI-M2/8P 8K		8 Kanal NVR - 8K (2 SATA, H.265+ , POE) Güvenlik sektöründeki ilk 8K NVR Up to 8-ch IP camera inputs Up to 8-ch@8 MP decoding capacity Up to 128 Mbps incoming bandwidth 2 SATA Interfaces, Alarm I/O: 4/1, 380 1U case 8x8MP decoding capability,HDMI up to 8K, 8 independent PoE network interfaces	Sorunuz
16 KANAL NVR			
DS-7616NI-Q1		16 Kanal NVR (1 SATA, H.265+) 160Mbps Bit Rate Input Max (up to 16-ch IP video), 1 SATA interfaces, 380 1U case	€ 325
DS-7616NI-Q2		16 Kanal NVR (2 SATA, H.265+) 160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 380 1U case	€ 375
DS-7616NI-Q2/16P		16 Kanal NVR (2 SATA, H.265+) 160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 16 independent PoE network interfaces, 380 1U case	€ 715
DS-7616NI-K2		16 Kanal NVR (2 SATA, H.265+) 160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 380 1U case, alarm I/O: 4/1	€ 430
DS-7616NI-K2/16P		16 Kanal NVR (2 SATA, H.265+, POE) 160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 16 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1	€ 859
DS-7716NI-Q4		16 Kanal NVR (4 SATA, H.265+) 160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	€ 710
DS-7716NI-K4/16P		16 Kanal NVR (4 SATA, H.265+, POE) 160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	€ 1,352











ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
32 KANAL NVR			
DS-7632NI-K2UHK		32 Kanal NVR (4 SATA, H.265+) 256Mbps Bit Rate Input Max(up to 32-ch IP video), 2 SATA Interfaces, Alarm I/O: 16/4, 1.5U case,19"	€ 664
DS-7732NI-K4		32 Kanal NVR (4 SATA, H.265+) 256Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, Alarm I/O: 16/4, 1.5U case,19"	€ 944
YENİ DS-7732NI-M4 8K		32 Kanal NVR - 8K (4 SATA, H.265+) Güvenlik sektöründeki ilk 8K NVR H.265+/H.265/H.264+/H.264 video sıkıştırma formatı 32 kanal IP kamera girişi 2 kn@32MP / 2 kn@24 MP / 4 kn@12 MP/ 8 kn@8 MP/16 kn@4 MP/32 kn@1080p'a kadar kod çözme kapasitesi 320 Mbps giriş bant genişliği 2 HDMI ve 1 VGA arayüzü , 8K veya Çift 4K video Çıkışı Her bir HDD 14TB'a kadar ile destekler	Sorunuz
DS-8632NI-I8		32 Kanal NVR (8 SATA, H.265+) Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected Up to 12 MP high-definition live view, storage and playback Up to 32 channel IP cameras can be connected 2 HDMI (different source) and 2 VGA (different source) interfaces Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks	Sorunuz
64 KANAL NVR			
YENİ DS-7764NI-M4 8K		64 Kanal NVR - 8K (4 SATA, H.265+) Güvenlik sektöründeki ilk 8K NVR H.265+/H.265/H.264+/H.264 video sıkıştırma formatı 64 kanal IP kamera girişi 2 kn@32MP / 2 kn@24 MP / 4 kn@12 MP/ 8 kn@8 MP/16 kn@4 MP/32 kn@1080p'a kadar kod çözme kapasitesi 400 Mbps giriş bant genişliği 2 HDMI ve 1 VGA arayüzü , 8K veya Çift 4K video Çıkışı - Her bir HDD 14TB'a kadar ile destekler	Sorunuz
DS-8664NI-I8		64 Kanal NVR (8 SATA, H.265+) Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected Up to 12 MP high-definition live view, storage and playback Up to 64 channel IP cameras can be connected 2 HDMI (different source) and 2 VGA (different source) interfaces Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks	Sorunuz









ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
HD-TVI ÜRÜNLER (HD-TVI PRODUCTS)			
2MP HD TVI KAMERA 4X1			
DS-2CE16D0T-EXIPF 2MP		Harici 1080p Mini IR Bullet Kamera 2MP CMOS Sensor, 1 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.02 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8/3.6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 46
DS-2CE76D0T-EXIPF 2MP		Dahili 1080p Mini IR Dome Kamera 2MP CMOS Sensor, 1 pcs EXIR LEDs, 20m IR, Indoor EXIR Turret, ICR, 0.02 Lux/F1.2, 12 VDC, Smart IR, DNR, 2.8/3.6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 46
DS-2CE17D0T-IT3F 2MP		Harici 1080p IR Bullet Kamer 2MP CMOS Sensor, EXIR 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output Up to 40 m IR distance for bright night imaging	€ 100
DS-2CE17D0T-IT5F 2MP		Harici 1080p IR Bullet Kamer 2MP CMOS Sensor, EXIR 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP67, 3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output Up to 80 m IR distance for bright night imaging	€ 110
DS-2CE19D0T-VFIT3F 2MP		Dahili/Harici 1080p IR Vari-focal Bullet Kamera 2MP CMOS Sensor, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu, IP67, 2.7-13.5mm Vari Focal Lens, Support HD-TVI/AHD/CVI/CVBS video output	€ 176
DS-2CE5AD0T-VPIT3F 2MP		Dahili/Harici 1080p Vari-focal IR Dome Kamera 2MP CMOS Sensor, 40m IR, EXIR Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu, IP67, 2.7-13.5mm Vari Focal Lens, IK10, Support HD-TVI/AHD/CVI/CVBS video output	€ 185
2MP HD TVI KAMERA ColorVu			
DS-2CE10DF0T-PF 2MP 		Harici 1080p IR Bullet Kamera (ColorVu) 2M CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white Light, 20m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), IP67, 2.8/3.6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 66









ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-2CE70DF0T-PF 2MP ColorVu		Dahili/Harici 1080p IR Dome Kamera (ColorVu) 2M CMOS Sensor, Indoor Turret,0.001Lux/F1.0,0 Lux with white Light,20m,3D DNR,12 VDC,OSD Menu(Up the Coax), 2.8/3.6mm Lens,24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 64
DS-2CE10DF0T-F 2MP ColorVu		Harici 1080p IR Bullet Kamera (ColorVu) Metal 2M CMOS Sensor, Outdoor Bullet,0.001Lux/F1.0,0 Lux with white Light,20m,3D DNR,12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6mm Lens,24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 72
DS-2CE12DF0T-F 2MP ColorVu		Harici 1080p IR Bullet Kamera (ColorVu) Metal 2M CMOS Sensor, Outdoor Bullet,0.001Lux/F1.0,0 Lux with white Light,40m,3D DNR,12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens,24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 120
5MP HD TVI KAMERA			
DS-2CE76H0T-ITPF 5MP		Dahili/Harici 5MP EXIR Dome Kamera (20mt, Plastik) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Indoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), 2.4/2.8/3.6/6mm Lens,Support TVI/AHD/CVI/CVBS video signal output	€ 78
DS-2CE16H0T-ITPF 5MP		Dahili/Harici 5MP EXIR Bullet Kamera (20mt, Plastik) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 83
DS-2CE17H0T-IT3F 5MP		Dahili/Harici 5MP EXIR Bullet Kamera (40mt, Metal+Plastik) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output Up to 40 m IR distance for bright night imaging	€ 123
DS-2CE17H0T-IT5F 5MP		Dahili/Harici 5MP EXIR Bullet Kamera (80mt, Metal+Plastik) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output Up to 80 m IR distance for bright night imaging	€ 134
DS-2CE10KF0T-PFS 5MP ColorVu		Dahili/Harici 5MP ColorVu Bullet Kamera (20mt, Metal) 3K (5MP 16:9) CMOS Sensor,3K @ 20 fps(Default),Outdoor Bullet,0.001Lux/F1.0,0 Lux with white Light,20m,2D DNR,Built-in Mic,Audio up Coaxial(Only TVI),12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6mm Lens,24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 106








ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-2CE70KF0T-PFS  		Dahili/Harici 5MP ColorVu Dome Kamera (20mt, Plastik) 3K (5MP 16:9) CMOS Sensor, 3K @ 20 fps (Default), Indoor Turret, 0.001Lux/F1.0, 0 Lux with white Light, 20m, 2D DNR, Built-in Mic, Audio up Coaxial (Only TVI), 12 VDC, OSD Menu (Up the Coax), 2.8/3.6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 106
HD-TVI KAYIT CİHAZLARI (HD-TVI DVR)			
4 KANAL TURBO HD DVR			
DS-7104HGHI-K1		4 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, 1-ch IP video input, 1 SATA interface, HD1080P Lite: 25(P)/30(N) fps/ch, mini 1U case	€ 117
DS-7104HQHI-K1 (Turbo HD 4.0)		4 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, 2-ch IP video input (up to 6-ch IP), 1 SATA interface, CH01: 3MP@15fps, CH01-04: 1920×1080P/4MP Lite@15fps/ch, mini 1U case	€ 186
DS-7204HGHI-K1		4 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, 1-ch IP video input, 1 SATA interface, HD1080P Lite: 25(P)/30(N) fps/ch, 260 1U case	€ 124
iDS-7204HQHI-M1/S 		4 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 1-ch face detection or 2-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 4-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01: 3MP @ 15fps, CH01-04: 1920×1080P @ 15 fps, 4MP Lite@15fps/ch, support CVBS output, standalone 1U case	€ 215
iDS-7204HUHI-M1/S 		4 Kanal HD-TVI Hibrit Kayıt Cihazı (8MP) 1-ch face detection or 4-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 4-ch video&1-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case	€ 341
8 KANAL TURBO HD DVR			
DS-7108HGHI-K1		8 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: : 25(P)/30(N) fps/ch, mini 1U case	€ 141
DS-7108HQHI-K1 (Turbo HD 4.0)		8 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 4-ch IP video input (up to 12-ch IP), 1 SATA interface, CH01&02: 3MP@15fps, CH01-08: 1920×1080P/4MP Lite@15fps/ch, mini 1U case	€ 319

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-7208HGHI-K1		8 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: : 25)/(P30(N) fps/ch, 260 1U case	€ 143
iDS-7208HUHI-M1/S 		8 Kanal HD-TVI Hibrit Kayıt Cihazı (8MP) 8-ch Motion Detection 2.0 or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 8-ch video&1-ch audio input, 1 SATA interface, H.265/H.265+ compression, 8MP: 8fps, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, standalone 1U case	€ 565
iDS-7208HQHI-M1/S 		8 Kanal HD-TVI Hibrit Kayıt Cihazı (4MP Lite) 1-ch face detection or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01 & 02: 3MP @ 15fps, CH01-08:1920×1080P @15 fps, 4MP Lite@15fps/ch, support CVBS output, standalone 1U case	€ 326
16 KANAL TURBO HD DVR			
DS-7116HGHI-K1		16 Kanal HD-TVI Kayıt Cihazı (1080P) 16 Turbo HD/AHD/Analog interface input, 16-ch HDTV coaxial video&audio input, 1-ch RCA audio input, 8-ch IP video input(up to 24-ch IP),1 SATA interface,CH01-04: 3MP @ 15fps, CH01-16:1920×1080P/4MP Lite@15 fps/ch, 4K UHD output, mini 1U case	€ 259
DS-7116HQHI-K1 (Turbo HD 4.0)		16 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, 8-ch IP video input(up to 24-ch IP),1 SATA interface,CH01-04: 3MP @ 15fps, CH01-16:1920×1080P/4MP Lite@15 fps/ch, 4K UHD output, mini 1U case	€ 485
DS-7216HGHI-K1		16 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: 15fps/ch, 260 1U case	€ 284
iDS-7216HQHI-M1/S 		16 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 1-ch face detection or 4-ch false alarm filter, 16 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface,CH01-04: 3MP @ 15fps, CH01-16:1920×1080P @15 fps, 4MP Lite@15fps/ch, 4K UHD output, support CVBS output, standalone 1U case	€ 557
iDS-7216HQHI-M2/S 		16 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 1-ch face detection or 4-ch false alarm filter, 16 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH01-16:1920×1080P @15 fps, 4MP Lite@15fps/ch, 4K UHD output, support CVBS output, 380 1U case	€ 639

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
iDS-7216HUHI-M2/S 		16 Kanal HD-TVI Kayıt Cihazı (8MP Lite) 16-ch Motion Detection 2.0 or 4-ch false alarm filter, 16 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 2 SATA interfaces, H.265/H.265+ compression, 8MP: 8fps, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, 380 1U case	€ 1,188
32 KANAL TURBO HD DVR			
DS-7232HGHI-K2 (Turbo HD 4.0)		32 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 32 Turbo HD/AHD/Analog interface input, 32-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 2 SATA interface, HD1080P Lite: 15fps/ch, 380 1U case	€ 813
DS-7232HQHI-K2 (Turbo HD 4.0)		32 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 32 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 32-ch video&1-ch audio input, 8-ch IP video input(up to 40-ch IP), H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH01-32:1920×1080P @15 fps, 4MP Lite @15 fps/ch, 4K UHD output, support CVBS output, 380 1U case	€ 1,122
iDS-7232HQHI-M2/S 		32 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 4-ch false alarm filter,32-channel motion 2.0, 32 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 32-ch video&1-ch audio input, 8-ch IP video input(up to 40-ch IP), H.265/H.265+ compression, 2 SATA interfaces,1920×1080P @15 fps, 4MP Lite@15fps/ch, 4K UHD output, support CVBS output, 380 1U case	€ 1,194
Monitör			
DS-D5019QE 		18.5-inch FHD Monitor •LED backlit technology with full HD 1366 x 768 •19" LED backlight monitor •Image processing: 3D comb filter, 3D De-interlace, 3D noise reduction •Multiple interfaces: HDMI, VGA •Wide viewing angle: Horizontal 90°, Vertical 65° •24/7 operation	€ 284
DS-D5022FN 		21.5 inch FHD Borderless Monitor •LED backlit technology with full HD 1920×1080 •Wide view angle: 178°(H)/178°(V) •User-friendly operation menu •High reliable components for 7×24 working •1 channel HDMI 1.3 input interface •Three image modes to adapt different environment •Support software spread-spectrum technology to reduce EMI radiation •VESA stand bracket	€ 324

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-D5024FN 		23.8 inch FHD Borderless Monitor <ul style="list-style-type: none"> •LED backlit technology with full HD 1920×1080 •Wide view angle: 178°(H)/178°(V) •User-friendly operation menu •High reliable components for 7×24 working •1 channel HDMI 1.3 input interface •Three image modes to adapt different environment •Support software spread-spectrum technology to reduce EMI radiation •VESA stand bracket 	€ 388
DS-D5027FN 		27 inch FHD Borderless Monitor <ul style="list-style-type: none"> •LED backlit technology with full HD 1920×1080 •Wide view angle: 178°(H)/178°(V) •User-friendly operation menu •High reliable components for 7×24 working •1 channel HDMI 1.3 input interface •Three image modes to adapt different environment •Support software spread-spectrum technology to reduce EMI radiation •VESA stand bracket 	€ 480
DS-D5032QE 		31.5-inch FHD Monitor <ul style="list-style-type: none"> •LED backlit technology with full HD 1920 x 1080 •32" LED backlight monitor •16.7 million colors display images perfectly •Multiple interfaces: HDMI, VGA, audio in •Built-in speaker •Wide viewing angle: Horizontal 178°, Vertical 178° •24/7 operation •LED backlit technology with full HD 1920×1080 •16.7 million color, display picture perfectly •HDMI support up to 1080P •Multiple inputs: HDMI, VGA •Build-in speaker, Audio 5W*2 •Auto signal input Detection •Smart engine for Phase/Image position/Color calibration •Plastic casing 	€ 680
DS-D5043QE 		42.5-inch FHD Monitor <ul style="list-style-type: none"> LED backlit technology with full HD 1920 x 1080 43" LED backlight monitor 16.7 million colors display images perfectly Multiple interfaces: HDMI, VGA, audio in Built-in speaker Wide viewing angle: Horizontal 178°, Vertical 178° 24/7 operation LED backlit technology with full HD 1920×1080 16.7 million color, display picture perfectly HDMI support up to 1080P Multiple inputs: HDMI, VGA Build-in speaker, Audio 5W*2 Auto signal input Detection Smart engine for Phase/Image position/Color calibration Plastic casing 	€ 990

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
NETWORK SWITCH			
DS-3E0105P-E/M		4 Port Fast Ethernet Unmanaged POE Switch L2, Unmanaged, 4 10/100M RJ45 PoE ports, 1 10/100M RJ45 uplink port, 802.3af/at, PoE power budget 35W, max. 300m long distance transmission, 6KV surge protection	€ 64
DS-3E0109P-E/M		8 Port Fast Ethernet Unmanaged POE Switch L2, Unmanaged, 8 10/100M RJ45 PoE ports, 1 10/100M RJ45 uplink port, 802.3af/at, PoE power budget 60W, max. 300m long distance transmission, 6KV surge protection	€ 106
DS-3E0518P-E/M		16 Port Gigabit Unmanaged POE Switch L2, Unmanaged, 16 Gigabit POE ports, 2 Gigabit SFP uplink port, 802.3af/at, PoE power budget 125w	€ 340
DS-3E0526P-E/M		24 Port Gigabit Unmanaged POE Switch L2, Unmanaged, 24 Gigabit POE ports, 2 Gigabit SFP uplink port, 802.3af/at, PoE power budget 225w	€ 462
DS-3E1105P-EI		4 Port Fast Ethernet Smart POE Switch Smart Managed L2, Smart Managed, 4 10/100M RJ45 PoE ports, 1 10/100M RJ45 port, 802.3af/at, PoE power budget 60W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview	€ 96
DS-3E1309P-EI		8 Port Fast Ethernet Smart POE Switch Smart Managed L2, Smart Managed, 8 10/100M RJ45 PoE ports, 1 Gigabit RJ45 port, 802.3af/at, PoE power budget 110W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview	€ 174
DS-3E1318P-EI		16 Port Fast Ethernet Smart POE Switch Smart Managed L2, Smart Managed, 16 10/100M RJ45 PoE ports, 2 Gigabit combo ports, 802.3af/at, PoE power budget 230W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview	€ 500
DS-3E1326P-EI		16 Port Fast Ethernet Smart POE Switch Smart Managed L2, Smart Managed, 24 10/100M RJ45 PoE ports, 2 Gigabit combo ports, 802.3af/at, PoE power budget 370W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview	€ 630

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	LİSTE (MSRP)
DS-3E0108D-E		8 Port Fast Ethernet Unmanaged Desktop Switch L2, Unmanaged, 8 10/100M RJ45 ports, desktop plastic switch	€ 22
DS-3E0505D-E		5 Port Gigabit Unmanaged Desktop Switch L2, Unmanaged, 5 Gigabit RJ45 ports, desktop plastic switch	€ 28
Kablo (Network Cable)			
DS-1LN6U-G		Network Kabloları CAT 6 305 m CAT6 UTP Network Cable (Solid Copper, 0.55 mm, Gray) Full diameter 305 m CAT6 network cable Core diameter: 0.55mm Excellent transmission performance using solid copper Quality verified by Fluke test Guaranteed long PoE transmission distance Great PVC flame resistance.	€ 332
DS-1LN6-UU		Network Kabloları CAT 6 305 m CAT6 UTP Network Cable (Solid Copper, 0.565 mm, CM) Full diameter 305 m CAT6 network cable Core diameter: 0.565mm Excellent transmission performance using solid copper Quality verified by Fluke test Guaranteed long PoE transmission distance Great PVC flame resistance.	€ 368
Kontrol Klavyesi (Key board)			
DS-1600KI		Network Kontrol Klavyesi 10.1" capacitive touchscreen, detachable design of touchscreen and joystick, preview, PTZ and TV wall control, 4-axis joystick	Sorunuz
DS-1100KI		Network Kontrol Klavyesi 7" resistive touchscreen, preview, PTZ and TV wall control, 4-axis joystick	Sorunuz
DS-1200KI		Network Kontrol Klavyesi 128x64 LED dot matrix screen, PTZ and TV wall control, 4-axis joystick.	€ 690
DS-1005KI		USB Kontrol Klavyesi USB port, used to control DVR, NVR and software, 4-axis joystick	€ 444